

Dealer Displays & Signage


Showroom Marketing



BLUE OX


Flat Towing Floor Display

DSW-TB Tower 2.5



402-2235 Display Sign

Floor Dimensions



Flat Towing Floor Display

DSW-Extended TB Tower



Flat Towing

Example
A Blue Fox is a tractor unit used to tow the front of a vehicle to connect a tow bar.
Find your perfect fit at bluefox.com



Tow Bar
Creates a secure connection allowing towing to be towed without a trailer.
DSW20



Tow Brake
Assists the brakes of the towed vehicle (also contains signal from the towing vehicle).
MS2002



Protective Equipment
Protects your towed vehicle from damage by road debris or rocks.
DSW20




Drop Receiver
Lowers or raises the hitch connection for level towing.

Wiring Kit
Powers the lights on your towed vehicle while towing.

Accessory Kit
Accessories needed to secure and store your tow bar.

Rescue Of Protection
Industry leading premium hardened powder coat over e-coat from our TTV paint facility. Shields against rust and corrosion.

A Fourth Generation Family Owned Company




402-2235 Display Sign

Floor Dimensions



Adjustable Ball Mounts

DSW-Hitchtower




Floor Dimensions




Mud Flap System

DSW-Rock Guards



Floor Dimensions



BLUE OX
BX88420

Fits 2" Receiver
Easy On & Off
Adjustable Width & Height
Fits Most Vehicles

Mudflap System

Protect Wheel from Rocks, Mud, & Debris

- Forged Aluminum Hub & Arms
- Stainless Sleeved Steel Rods
- 3/8" Thick, 24" x 24" Wide, Fiber Reinforced Mudflaps
- Stainless Steel & Zinc Nickel Hardware
- Rock Screen Included



Trim from
24" to 10-3/4"

Adjustable from
67-1/4" to 96 3/4"

Contents: 1 Unit

Receiver Hitch

DSW-Receiver Hitch



Receiver Hitches





Made in the U.S.A.

Find your perfect fit at blueox.com

They really designed advanced mounting brackets.

Vehicle-Specific Design & Quality Construction
Blue Ox receiver hitches are custom-designed to fit your specific make and model, ensuring proper fit and optimal towing performance.


Enhanced Towing Capability
Expanding what your vehicle can tow (within its rated limits) giving you a secure connection point for anything you need to tow.

Long-Term Reliability
Built in the U.S.A. with quality materials, Blue Ox hitches have a reputation for durability and long service life, backed by a limited lifetime warranty.

Plasma-Cut Protection
Industry-leading premium textured powder coat over a coat from our TTX paint facility, shields against rust and corrosion.

©2022 Blue Ox

A Fourth Generation Family Owned Company



402-2238 Display Sign

Floor Dimensions




5th Wheel

DSW-5th Wheel Tower



5th Wheel

Connection
200° swiveling of the kingpin.
No need for extra kingpin
anchors. Reduces the risk
of false hookups & trailer drops.



Dual Articulating Head
Which head articulates from front
to back, while the other swiveling the
trailer to move with the truck over
uneven ground.



Adjustable Height
Height adjustable: 17", 18", and 19"
12" height adjustment. The head
height adjusts with 4 bolts.




Lightweight Design
Two sturdy plates. Remove the
bolt easily and install your truck bed.
BSR2000 125 lbs. Base: 74 lbs. Head: 51 lbs.
BSR2000 105 lbs. Base: 50 lbs. Head: 51 lbs.




Peace Of Protection
E-Coat immersion ensures 100% coverage of complex parts, as well as uniform thickness.
This in turn ensures superior corrosion protection. We add a Powder Coat on top of the
E-Coat to make our products 10x more, adding an increased protection to products that
face exposure to the elements. 3 year limited warranty.

A Fourth Generation Family Owned Company



402-2237 Display Sign

Floor Dimensions



WD Hitch

DSW-1WDHITCH for SwayPro™, TrackPro™, & 2-Point™


WD Hitches

SwayPro & TrackPro


**SwayPro Shown*

Smooth, Stable Ride
Weight is distributed evenly across axles to minimize trailer bounce and "porpoising."

Integrated Positive Center
Designed with integrated positive center working in tandem with the loaded spring bars pulling the trailer to center.

Spring Steel Bars
Flex and bend augmenting the suspension of the tow vehicle and trailer. Can be swapped out with changing tongue weights.


Pinnacle Of Protection
Industry-leading premium textured powder coat over e-coat from our TTX paint facility shields against rust.

SwayPro Uses Rotating Latches
Wrap around latch design allows for quick hook-up with less hassle than traditional snap-up methods. No pins or clips to lose.

TrackPro Uses an Offset Backing Plate
"Offset" design toward the front of the trailer to help the hitch's sway control system pivot and control trailer sway.




A Fourth Generation Family Owned Company



402-2236 Display Sign

Floor Dimensions
(All WD Displays)



WD Hitch

DSW-2WDHITCH for SwayPro™, TrackPro™, & 2-Point™


WD Hitches

SwayPro & TrackPro


SwayPro Shown

Smooth, Stable Ride
Weight is distributed evenly across axles to minimize trailer bounce and "steering."

Integrated Positive Center
Designed with integrated positive center working in tandem with the loaded spring bars pulling the trailer to center.


Spring Steel Bars
Flat and true engineering the suspension of the tow vehicle and trailer. Can be swapped out with changing tongue weights.

Pinacle Of Protection
Industry-leading premium textured powder coat over a coat from our TTX paint facility, shields against rust.

SwayPro Uses Rotating Latches
Voyager latch design allows for quick hook up with less hassle than traditional swag-up methods. No pins or clips to lose.

TrackPro Uses an Offset Backing Plate
"Offset" design toward the front of the trailer to help the hitch's sway control system pivot and control trailer sway.


A Fourth Generation Family Owned Company



402-2236 Display Sign

84-0268 (wd hitch add-on)

Floor Dimensions
(All WD Displays)



Signage

**Posters, Counter Mat, Banner,
Window Cling**



Window Cling 402-2211
6" x 3"



Counter Mat 404-0079
17" x 11"



Banner 402-0047
3' x 5'

Product Knowledge



Flat Towing

Baseplate
A baseplate is a bracket installed to the front of a vehicle to connect a tow bar.

Find your perfect fit at blueox.com





Tow Bar
Creates a secure connection allowing vehicle to be towed without a trailer.

BX7421



Tow Brake
Applies the brakes of the towed vehicle based on braking input from the towing vehicle.

BRK2022



Protective Equipment
Protects your towed vehicle from damage by road debris or rocks.

BX6570



Drop Receiver
Lowers or raises the hitch connection for level towing.

Wiring Kit
Powers the lights on your towed vehicle while towing.

Accessory Kit
Accessories needed to secure and store your tow bar.

Pinnacle Of Protection
Industry-leading premium textured powder coat over e-coat from our TTX paint facility, shields against rust and corrosion.



A Fourth Generation Family Owned Company



WD Hitches

SwayPro & TrackPro



***SwayPro Shown**

Smooth, Stable Ride
Weight is distributed evenly across axles to minimize trailer bounce and "porpoising."

Integrated Positive Castor
Designed with integrated positive castor working in tandem with the loaded spring bars pushing the trailer to center.

Spring Steel Bars
Flex and bow augmenting the suspensions of the tow vehicle and trailer. Can be swapped out with changing tongue weights.

Pinnacle Of Protection
Industry-leading "premium textured powder coat over e-coat from our TTX paint facility, shields against rust."





SwayPro Uses Rotating Latches
Wrap around latch design allows for quick hook up with less hassle than traditional snap-up methods. No pins or clips to lose.

TrackPro Uses an Offset Backing Plate
"Offset" design toward the front of the trailer to help the hitch's sway control system pivot and control trailer sway.



A Fourth Generation Family Owned Company

**Flat Towing
Poster**
402-2239
24" x 36"

**Weight Distributing
Hitch Poster**
402-2240
24" x 36"



5th Wheel

Connection
360° nesting of the kingpin. No need for extra kingpin adapters. Reduces the risk of false hookups & Trailer drops.

Dual Articulating Head
Hitch head articulates from front to back, side to side, allowing the trailer to move with the truck over uneven ground.

Adjustable Height
Height adjustments 17", 18", and 19" (3" height adjustments). The head height adjusts with 4 bolts.

Lightweight Design
Two sturdy pieces. Remove the hitch easily and reclaim your truck bed.

BXR2100: 125 lbs. Base: 74 lbs. Head 51 lbs.
BXR2410: 101 lbs. Base: 50 lbs. Head 51 lbs.

Pinnacle Of Protection
E-coat Immersion ensures 100% coverage of complex parts, as well as uniform thickness. This in turn ensures superior corrosion protection. We add a Powder Coat on top of the E-Coat to make our products UV stable, lending an increased protection to products that face exposure to the elements. 3 year limited warranty.





A Fourth Generation Family Owned Company

**5th Wheel
Hitch Poster**
402-2241
24" x 36"



Receiver Hitches





Made in the U.S.A.

Find your perfect fit at blueox.com

*Many models equipped electrical mounting bracket.

Vehicle-Specific Design & Quality Construction
Blue Ox receiver hitches are custom-designed to fit your specific make and model, ensuring proper fit and optimal towing performance.

Enhanced Towing Capability
Expanding what your vehicle can tow (within its rated limits) giving you a secure connection point for anything you need to tow.

Long-Term Reliability
Built in the U.S.A. with quality materials, Blue Ox hitches have a reputation for durability and long service life, backed by a limited lifetime warranty.

Pinnacle Of Protection
Industry-leading premium textured powder coat over e-coat from our TTX paint facility, shields against rust and corrosion.



A Fourth Generation Family Owned Company

**Receiver Hitches
Poster**
402-2242
24" x 36"

Lifestyle



**Flat Towing Lifestyle
Poster**
402-2243
24" x 36"



**WD Lifestyle
Poster**
402-2244
24" x 36"



**5th Wheel Lifestyle
Poster**
402-2216
24" x 36"

Hitches Tow Bars Brakes Baseplates Accessories

blueox.com

dealerportalblueox.com

